



home
automation



lighting



electric



furniture

ORNO[®]

LIVING INNOVATIONS



DATA SHEET

FELIS MEMO video door phone set, LCD 7"
monitor, SD+DVR slots, white

symbol: OR-VID-EX-1060/W

Manufacturer:
ORNO-LOGISTIC Sp. z o.o.
ul. Rolników 437, 44-141 Gliwice
tel: 32 43 43 110
www.orno.pl

ISBN 5900378655824



5 900378 655824 >

The main features:

An example of VIBELL set - FELIS MEMO video door phone set that does not require any uniphone. It includes a multicolour, flat 7" LCD touch screen and a very durable, wide-angle video-camera. It has a user-friendly OSD menu, which is used to instantly adjust monitor parameters. The set has a built-in SD and DVR card slots. The set enables gate control function and opening of the door lock output directly from the video-camera panel. Available colours: black and white.



Control of the automatic gate



Possibility of extension by an additional external panel



Possibility of extension by an additional monitor



Possibility of extension by an additional CCTV camera



DISPLAY:
7 inch LCD



Display



Sd card reader



Touch screen

Technical specifications:

General Information

Type of transmission:	wired
Type of power supply:	AC adapter
Connection system:	4-wire
Power supply of the electric strike:	power supply from a videodoorphone
Control of the automatic gate:	✓ yes
Possibility of extension by an additional external panel:	✓ yes

Possibility of extension by an additional monitor:	✓ yes
Possibility of extension by an additional video uniphone:	✗ no
Possibility of extension by an additional cctv camera:	✓ yes

Monitor

Usage:	via speakerphone
Display:	7 inch LCD
Resolution of the monitor's screen:	800 / 480
Colour of the monitor:	white
Memory:	✓ yes
Sd card reader:	✓ yes
Intercom function:	✓ yes
Number of ringtones:	7
Touch screen:	✓ yes
Dimensions of the monitor (width x height x depth [mm]):	185 / 127 / 17

External panel with a camera

Type of camera:	traditional lens
Vertical/horizontal camera's view angle:	96 Grad / 110 Grad
Resolution of the camera:	700 TVL
Installation:	surface mounting
Card and proximity tags reader:	✗ no
Keypad:	✗ no
Other features of the camera:	IP65